

1.	Product type	<b>SUSPENDED CEILING</b>
2.	Type, batch or serial number of building material or other elements to provide identification	<b>SUSPENDED CEILING COATING COMPONENT</b> Glasswool density: 50-70-95 kg/m <sup>3</sup> Surface: Fabric and fibreglass
3.	According to the harmonized technical specifications of the Building Material, the intended purpose or purposes of the Manufacturer	<b>According to TS EN 13964:2014</b> suspended ceiling component kit For indoor use
4.	Manufacturer's name, registered trade name or registered trademark and address	<b>AKTAV AKUSTİK MALZEMELERİ SAN. VE TİC. AŞ.</b> ZEYTİNLİ MAH. TURHAN CEMAL BERİKER BULVARI NO 607/A SEYHAN/ADANA
5.	If available, the name of the authorized representative address	Not available
6.	Evaluating and verifying the immutability of the construction material's performance system or systems	System 4
7.	In the performance statement for a building material covered by a harmonized standard: [under the name and identification number of the notified body, if applicable] the system of evaluation and verification of the performance 's incompetence applies the system [definition of the tasks of the notified bodies specified in Annex 5] document, factory production control conformity certificate, test / calculation reports].	<b>Reaction to fire: ERA LABORATUVARLARI A.Ş. / report</b> <b>ERA-14-054 (12.06.2014)</b> <b>Sound Absorption: PEUTZ LABORATORY (09.02.2007)</b> <b>Other tests: TSE's report dated 26.10.2016</b>
8.	In the declaration of performance of a building material which is a European Technical Assessment issued on:Based on the [European Technical Assessment reference number] prepared on the basis of the [reference number of the European Evaluation Body] by the [name and identification number of the Technical Evaluation Body], under which system of the evaluation and verification of the performance of the incompetence [definition of the tasks of the notified bodies referred to in Annex 5] which are relevant to the test report / calculation report, the factory production control conformity certificate.	Not Related

9.	SPECIFICATIONS	DECLARATION VALUES	HARMONIZED TECHNIQUE SPECIFICATION
	Reaction to Fire	A2- s1, d0	<b>TS EN 13964:2014-04</b>
	Fire Resistance	NPD	
	Asbestos content	No Nascency	
	Formaldehyde emergence	E1	
	Release of other dangerous substances	No Nascency	
	Fragmentation Properties -Impact resistance	<b>NPD</b>	
	Flexural strength	<i>Class C / 20 N / m<sup>2</sup></i>	
	Bond strength	NPD	
	Resistance to fixing elements	Acceptance	
	Electrical safety	NPD	
	Direct airborne sound insulation	NPD	
	Sound Absorption	0,90(M)	
	Thermal conductance	0,031 W/mK	
	Predictability of harmful microorganisms -Humidity - Thermal insulation material	Acceptance Acceptance	
	Durability	NDP	

10. The building material described in the first and second paragraphs of this performance statement has the performance declared in the ninth paragraph of this performance statement. The entire liability for this performance statement is solely the responsibility of the manufacturer as defined in the fourth paragraph of this performance statement.

signatory on behalf of the manufacturer:

 **Aktav Akustik Malzemeler**  
San. ve Tic. A.Ş.  
Yüreğir V.D. 041.034 0871  
Mersis No: 004409400710001910001  
Adana Tic. Odası: 410927 Ticaret Sicil No: 44099  
aktav@aktav.com.tr  
Zeytinli Mah. Turhan Cemal Beriker Bulvarı Seyhan/ADANA  
Tel : 0 322 458 90 20 - 441 458 90 20 Faks: 0 322 458 46 61